

RAUMSPRAY Mood Balance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 12/13/2022 Revision date: 12/6/2023 Supersedes version of: 12/13/2022
Version: 2.0



SECTION 1 : Identification of the substance/mixture and of the company/undertaking

.1.1 Product identifier

Mixture :	Product form
RAUMSPRAY Mood Balance :	Trade name
HMJ0-40GV-800W-FYHK :	UFI
AEAP12S-30 / AEAP12S-100 :	Product code
Spray :	Vaporizer

.2.1 Relevant identified uses of the substance or mixture and uses advised against

.1.2.1 Relevant identified uses

Consumer use :	Intended for general public
Odour agents :	Main use category
	Use of the substance/mixture

.2.2 Uses advised against

No additional information available

.3.1 Details of the supplier of the safety data sheet

Saint Charles Organics GmbH GmbH
Esterhazygasse 11
AU 1060 Wien
Austria
T +43 (0)1 8907987, F +43 1 586 13 63 – 63
office@saint-charles.eu, <https://saint-charles.eu/>

.4.1 Emergency telephone number

Comment	Emergency number	Address	Organisation/Company	Country/Area
	+43 1 406 43 43	Stubenring 6 1010 Vienna	Vergiftungsinformationszentrale	Austria
Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)	+32 70 245 245	Rue Bruyn 1 1120 Brussels	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Militaire Reine Astrid	Belgium
	+33 1 40 05 48 48	200 rue du Faubourg Saint-Denis 75475 Paris Cedex 10	Centre antipoison de Paris Hôpital Fernand Widal	France
	+49 (0) 30 19240	Hindenburgdamm 30 12203 Berlin	Giftnotruf der Charité - Universitätsmedizin Berlin CBF, Haus VIII (Wirtschaftgebäude), UG	Germany
	+49 (0) 89 19240	Ismaninger Straße 22 81675 Munich	Giftnotruf München Toxikologische Abteilung der II. Med. Klinik und Poliklinik rechts der Isar der Technischen Universität München	Germany
(from abroad: +41 44 251 51 51) non urgent inquiry: +41 44 251 66 66	145 +41 44 251 51 51	Freiestrasse 16 8032 Zürich	Tox Info Suisse	Switzerland

RAUMSPRAY Mood Balance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 2 : Hazards identification

.1.2 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H225 Flammable liquids, Category 2

H412 Hazardous to the aquatic environment – Chronic Hazard, Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour.

.2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]



: Hazard pictograms (CLP)

GHS02

Danger : Signal word (CLP)

Contains

ALCOHOL DENAT.; SALVIA SCLAREA OIL; BOSWELLIA SERRATA OIL; PELARGONIUM GRAVEOLENS OIL; CITRUS AURANTIUM DULCIS PEEL OIL; CITRUS GRANDIS PEEL OIL; CITRUS BERGAMIA PEEL OIL EXPRESSED; CANANGA ODORATA FLOWER OIL

H225 - Highly flammable liquid and vapour. : Hazard statements (CLP)

H412 - Harmful to aquatic life with long lasting effects.

P102 - Keep out of reach of children. : Precautionary statements (CLP)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P501 - Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

EUH208 - Contains SALVIA SCLAREA OIL, BOSWELLIA SERRATA OIL, PELARGONIUM : EUH-statements

GRAVEOLENS OIL, CITRUS AURANTIUM DULCIS PEEL OIL, CITRUS GRANDIS PEEL OIL, CITRUS BERGAMIA PEEL OIL EXPRESSED, CANANGA ODORATA FLOWER OIL.

May produce an allergic reaction.

.3.2 Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3 : Composition/information on ingredients

.1.3 Substances

Not applicable

.2.3 Mixtures

Classification according to Regulation (EC) No. 1272/2008 [CLP]	%	Product identifier	Name
Flam. Liq. 2, H225	< 100	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	Ethanol substance with national workplace exposure limit(s) (AT)

RAUMSPRAY Mood Balance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification according to Regulation (EC) No. 1272/2008 [CLP]	%	Product identifier	Name
Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412	< 3	CAS-No.: 84775-83-7 EC-No.: 283-911-8	Clary Sage oil
Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	< 3	CAS-No.: 97952-72-2 EC-No.: 308-366-6	Incense serrata oil
Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411	< 3	CAS-No.: 90082-51-2 EC-No.: 290-140-0	Geranium oil
Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	< 3	CAS-No.: 84012-28-2 EC-No.: 232-433-8	Orange oil
Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	< 3	CAS-No.: 89957-91-5 EC-No.: 289-612-9	Bergamot oil
Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 3, H412	< 3	CAS-No.: 83863-30-3 EC-No.: 281-092-1	Ylang Ylang oil
Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	< 3	CAS-No.: 8016-20-4 EC-No.: 289-904-6	Grapefruit oil

Full text of H- and EUH-statements: see section 16

SECTION 4 :First aid measures

.1.4Description of first aid measures

Remove person to fresh air and keep comfortable for breathing. :	First-aid measures after inhalation
Rinse skin with water/shower. Take off immediately all contaminated clothing. :	First-aid measures after skin contact
Rinse eyes with water as a precaution. :	First-aid measures after eye contact
Call a poison center or a doctor if you feel unwell. :	First-aid measures after ingestion

.2.4Most important symptoms and effects, both acute and delayed

No additional information available

RAUMSPRAY Mood Balance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.3.4 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 : Firefighting measures

.1.5 Extinguishing media

Water spray. Dry powder. Foam. Carbon dioxide. : Suitable extinguishing media

.2.5 Special hazards arising from the substance or mixture

Highly flammable liquid and vapour. : Fire hazard
Toxic fumes may be released. : Hazardous decomposition products in case of fire

.3.5 Advice for firefighters

Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. : Protection during firefighting

SECTION 6 : Accidental release measures

.1.6 Personal precautions, protective equipment and emergency procedures

.1.1.6 For non-emergency personnel

Ventilate spillage area. No open flames, no sparks, and no smoking. : Emergency procedures

.2.1.6 For emergency responders

Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". : Protective equipment

.2.6 Environmental precautions

Avoid release to the environment.

.3.6 Methods and material for containment and cleaning up

Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. : Methods for cleaning up
Dispose of materials or solid residues at an authorized site. : Other information

.4.6 Reference to other sections

For further information refer to section 13.

SECTION 7 : Handling and storage

.1.7 Precautions for safe handling

Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. : Precautions for safe handling
Do not eat, drink or smoke when using this product. Always wash hands after handling the product. : Hygiene measures

.2.7 Conditions for safe storage, including any incompatibilities

Ground/bond container and receiving equipment. : Technical measures
Store in a well-ventilated place. Keep cool. Keep container tightly closed. : Storage conditions

Germany

LGK 3 - Flammable liquids : Storage class (LGK, TRGS 510)

RAUMSPRAY Mood Balance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

: Joint storage table

LGK 1, LGK 2A, LGK 4.1A, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1C, LGK 5.2, LGK 6.1B, LGK 6.2, LGK 7
 LGK 5.1B, LGK 6.1D, LGK 11, LGK 10-13 :
 LGK 2B, LGK 3, LGK 6.1A, LGK 6.1C, LGK 8A, LGK 8B, LGK 10, LGK 12, LGK 13 :

Joint storage not permitted for

Joint storage with restrictions permitted for
 Joint storage permitted for

Switzerland

LK 3 - Flammable liquids :

Storage class (LK)

.3.7 Specific end use(s)

No additional information available

SECTION 8 :Exposure controls/personal protection

.1.8 Control parameters

.1.1.8 National occupational exposure and biological limit values

(64-17-5) Ethanol	
Austria - Occupational Exposure Limits	
Ethanol (Ethylalkohol)	Local name
1900 mg/m ³	MAK (OEL TWA)
1000 ppm	
3800 mg/m ³ (3x 60(Mow) min)	MAK (OEL STEL)
2000 ppm (3x 60(Mow) min)	
BGBl. II Nr. 156/2021	Regulatory reference

.2.1.8 Recommended monitoring procedures

No additional information available

.3.1.8 Air contaminants formed

No additional information available

.4.1.8 DNEL and PNEC

No additional information available

.5.1.8 Control banding

No additional information available

.2.8 Exposure controls

.1.2.8 Appropriate engineering controls

Appropriate engineering controls:
 Ensure good ventilation of the work station.

.2.2.8 Personal protection equipment

Personal protective equipment symbol(s)



RAUMSPRAY Mood Balance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.1.2.2.8 Eye and face protection

Eye protection:
Safety glasses

.2.2.2.8 Skin protection

Skin and body protection:
Wear suitable protective clothing

Hand protection:
Protective gloves

.3.2.2.8 Respiratory protection

Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

.4.2.2.8 Thermal hazards

No additional information available

.3.2.8 Environmental exposure controls

Environmental exposure controls:
Avoid release to the environment.

SECTION 9 : Physical and chemical properties

.1.9 Information on basic physical and chemical properties

Liquid :	Physical state
Not available :	Colour
characteristic. :	Odour
Not available :	Odour threshold
Not applicable :	Melting point
Not available :	Freezing point
Not available :	Boiling point
Not applicable :	Flammability
Not available :	Lower explosion limit
Not available :	Upper explosion limit
Not available :	Flash point
Not available :	Auto-ignition temperature
Not available :	Decomposition temperature
Not available :	pH
Not available :	Viscosity, kinematic
Not available :	Solubility
Not available :	Partition coefficient n-octanol/water (Log Kow)
Not available :	Vapour pressure
Not available :	Vapour pressure at 50°C
Not available :	Density
Not available :	Relative density
Not available :	Relative vapour density at 20°C
Not applicable :	Particle characteristics

.2.9 Other information

.1.2.9 Information with regard to physical hazard classes

No additional information available

.2.2.9 Other safety characteristics

No additional information available

RAUMSPRAY Mood Balance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10 :Stability and reactivity

.1.10Reactivity

Highly flammable liquid and vapour.

.2.10Chemical stability

Stable under normal conditions.

.3.10Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

.4.10Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

.5.10Incompatible materials

No additional information available

.6.10Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 :Toxicological information

.1.11Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not classified : Acute toxicity (oral)
Not classified : Acute toxicity (dermal)
Not classified : Acute toxicity (inhalation)

(64-17-5) Ethanol	
7060 mg/kg Source: ECHA	LD50 oral rat
(84775-83-7) Clary Sage oil	
5600 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 5000 - 6200	LD50 oral rat
(97952-72-2) Incense serrata oil	
> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)	LD50 oral rat
(90082-51-2) Geranium oil	
> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	LD50 oral rat
(89957-91-5) Bergamot oil	
> 10000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	LD50 oral rat
> 20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	LD50 dermal rabbit
(83863-30-3) Ylang Ylang oil	
> 5000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	LD50 oral rat
> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	LD50 dermal rabbit

RAUMSPRAY Mood Balance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Not classified : Skin corrosion/irritation
Not classified : Serious eye damage/irritation
Not classified : Respiratory or skin sensitisation
Not classified : Germ cell mutagenicity
Not classified : Carcinogenicity
Not classified : Reproductive toxicity

Ylang Ylang oil (83863-30-3)	
NOAEL (animal/male, F1)	718 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (animal/female, F1)	953 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Not classified : STOT-single exposure
Not classified : STOT-repeated exposure

Ethanol (64-17-5)	
3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	LOAEL (oral, rat, 90 days)
1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:	NOAEL (oral, rat, 90 days)

Bergamot oil (89957-91-5)	
1200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	LOAEL (oral, rat, 90 days)

Not classified : Aspiration hazard

RAUMSPRAY Mood Balance	
Spray	Vaporizer

Ethanol (64-17-5)	
1.52 mm ² /s	Viscosity, kinematic

Clary Sage oil (84775-83-7)	
7.7 mm ² /s	Viscosity, kinematic

Incense serrata oil (97952-72-2)	
< 7 mm ² /s	Viscosity, kinematic

Geranium oil (90082-51-2)	
< 7 mm ² /s	Viscosity, kinematic

Bergamot oil (89957-91-5)	
7.7 mm ² /s	Viscosity, kinematic

RAUMSPRAY Mood Balance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.2.11 Information on other hazards

No additional information available

SECTION 12 : Ecological information

.1.12 Toxicity

The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Ecology - general

Not classified : Hazardous to the aquatic environment, short-term (acute)

Harmful to aquatic life with long lasting effects. : Hazardous to the aquatic environment, long-term (chronic)

Ethanol (64-17-5)	
> 100 mg/l Source: SIDS 2005	LC50 - Fish [1]
> 10000 mg/l Test organisms (species): Daphnia magna	EC50 - Crustacea [1]
≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	EC50 96h - Algae [1]
275 mg/l Source: ECHA	ErC50 algae

.2.12 Persistence and degradability

RAUMSPRAY Mood Balance	
Not rapidly degradable	Persistence and degradability
Ethanol (64-17-5)	
Not rapidly degradable	Persistence and degradability
Clary Sage oil (84775-83-7)	
Not rapidly degradable	Persistence and degradability
Incense serrata oil (97952-72-2)	
Not rapidly degradable	Persistence and degradability
Geranium oil (90082-51-2)	
Not rapidly degradable	Persistence and degradability
Orange oil (84012-28-2)	
Not rapidly degradable	Persistence and degradability
Grapefruit oil (8016-20-4)	
Not rapidly degradable	Persistence and degradability
Bergamot oil (89957-91-5)	
Not rapidly degradable	Persistence and degradability
Ylang Ylang oil (83863-30-3)	
Not rapidly degradable	Persistence and degradability

.3.12 Bioaccumulative potential

Ethanol (64-17-5)	
-0.32 Source: ICSC	Partition coefficient n-octanol/water (Log Pow)

RAUMSPRAY Mood Balance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.4.12 Mobility in soil

No additional information available

.5.12 Results of PBT and vPvB assessment

No additional information available

.6.12 Endocrine disrupting properties

No additional information available

.7.12 Other adverse effects

No additional information available






SECTION 13 : Disposal considerations

.1.13 Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions. :	Regional waste regulation
Flammable vapours may accumulate in the container. :	Waste treatment methods
Disposal must be done according to official regulations. :	Additional information

SECTION 14 : Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

RID	ADN	IATA	IMDG	ADR
.1.14 UN number or ID number				
1170	1170	1170	1170	1170
.2.14 UN proper shipping name				
ETHANOL (ETHYL ALCOHOL)	ETHANOL (ETHYL ALCOHOL)	Ethanol	ETHANOL (ETHYL ALCOHOL)	ETHANOL (ETHYL ALCOHOL) / ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Transport document description				
UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II	UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II	UN 1170 Ethanol, 3, II	UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II	UN 1170 ETHANOL (ETHYL ALCOHOL) / ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E)
.3.14 Transport hazard class(es)				
3	3	3	3	3
				
.4.14 Packing group				
II	II	II	II	II
.5.14 Environmental hazards				
No: Dangerous for the environment	No: Dangerous for the environment	No: Dangerous for the environment	No: Dangerous for the environment No: Marine pollutant	No: Dangerous for the environment

RAUMSPRAY Mood Balance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

RID	ADN	IATA	IMDG	ADR
No supplementary information available				

.6.14 Special precautions for user

Overland transport

F1	:	Classification code (ADR)
144, 601	:	Special provisions (ADR)
1I	:	Limited quantities (ADR)
E2	:	Excepted quantities (ADR)
P001, IBC02, R001	:	Packing instructions (ADR)
MP19	:	Mixed packing provisions (ADR)
T4	:	Portable tank and bulk container instructions (ADR)
TP1	:	Portable tank and bulk container special provisions (ADR)
LGBF	:	Tank code (ADR)
FL	:	Vehicle for tank carriage
2	:	Transport category (ADR)
S2, S20	:	Special provisions for carriage - Operation (ADR)
33	:	Hazard identification number (Kemler No.)
	:	Orange plates
D/E	:	Tunnel restriction code (ADR)
•2YE	:	EAC code



Transport by sea

144	:	Special provisions (IMDG)
1L	:	Limited quantities (IMDG)
E2	:	Excepted quantities (IMDG)
P001	:	Packing instructions (IMDG)
IBC02	:	IBC packing instructions (IMDG)
T4	:	Tank instructions (IMDG)
TP1	:	Tank special provisions (IMDG)
F-E	:	EmS-No. (Fire)
S-D	:	EmS-No. (Spillage)
A	:	Stowage category (IMDG)
Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19%. Miscible with water.	:	Properties and observations (IMDG)

Air transport

E2	:	PCA Excepted quantities (IATA)
Y341	:	PCA Limited quantities (IATA)
1L	:	PCA limited quantity max net quantity (IATA)
353	:	PCA packing instructions (IATA)
5L	:	PCA max net quantity (IATA)
364	:	CAO packing instructions (IATA)
60L	:	CAO max net quantity (IATA)
A3, A58, A180	:	Special provisions (IATA)
3L	:	ERG code (IATA)

Inland waterway transport

F1	:	Classification code (ADN)
144, 601	:	Special provisions (ADN)
1L	:	Limited quantities (ADN)
E2	:	Excepted quantities (ADN)
T	:	Carriage permitted (ADN)
PP, EX, A	:	Equipment required (ADN)
VE01	:	Ventilation (ADN)
1	:	Number of blue cones/lights (ADN)

RAUMSPRAY Mood Balance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Rail transport

F1	:	Classification code (RID)
144, 601	:	Special provisions (RID)
1L	:	Limited quantities (RID)
E2	:	Excepted quantities (RID)
P001, IBC02, R001	:	Packing instructions (RID)
MP19	:	Mixed packing provisions (RID)
T4	:	Portable tank and bulk container instructions (RID)
TP1	:	Portable tank and bulk container special provisions (RID)
LGBF	:	Tank codes for RID tanks (RID)
2	:	Transport category (RID)
CE7	:	Colis express (express parcels) (RID)
33	:	Hazard identification number (RID)

.7.14 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15 :Regulatory information

.1.15 Safety, health and environmental regulations/legislation specific for the substance or mixture

.1.1.15 EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

RAUMSPRAY Mood Balance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.2.1.15 National regulations

France

Occupational diseases	
Description	Code
Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	RG 84

Germany

Observe restrictions according Act on the Protection of Working Mothers (MuSchG) :	Employment restrictions
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).	
WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1) :	Water hazard class (WGK)
Is not subject to the Hazardous Incident Ordinance (12. BImSchV) :	Hazardous Incident Ordinance (12. BImSchV)

Netherlands

A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment :	ABM category
Ethanol, Clary Sage oil, Incense serrata oil, Orange oil, Grapefruit oil, Bergamot oil are listed :	SZW-lijst van kankerverwekkende stoffen
Clary Sage oil, Incense serrata oil, Orange oil, Grapefruit oil, Bergamot oil are listed :	SZW-lijst van mutagene stoffen
Ethanol is listed :	SZW-lijst van reprotoxische stoffen – Borstvoeding
Ethanol is listed :	SZW-lijst van reprotoxische stoffen – Vruchtbaarheid
Ethanol is listed :	SZW-lijst van reprotoxische stoffen – Ontwikkeling

Denmark

.2.15 Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16 : Other information

: Abbreviations and acronyms

European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	ADN
European Agreement concerning the International Carriage of Dangerous Goods by Road	ADR
Acute Toxicity Estimate	ATE
Bioconcentration factor	BCF
Biological limit value	BLV
Biochemical oxygen demand (BOD)	BOD
Chemical oxygen demand (COD)	COD
Derived Minimal Effect level	DMEL
Derived-No Effect Level	DNEL
European Community number	EC-No.
Median effective concentration	EC50
European Standard	EN
International Agency for Research on Cancer	IARC
International Air Transport Association	IATA

RAUMSPRAY Mood Balance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

:Abbreviations and acronyms	
International Maritime Dangerous Goods	IMDG
Median lethal concentration	LC50
Median lethal dose	LD50
Lowest Observed Adverse Effect Level	LOAEL
No-Observed Adverse Effect Concentration	NOAEC
No-Observed Adverse Effect Level	NOAEL
No-Observed Effect Concentration	NOEC
Organisation for Economic Co-operation and Development	OECD
Occupational Exposure Limit	OEL
Persistent Bioaccumulative Toxic	PBT
Predicted No-Effect Concentration	PNEC
Regulations concerning the International Carriage of Dangerous Goods by Rail	RID
Safety Data Sheet	SDS
Sewage treatment plant	STP
Theoretical oxygen demand (ThOD)	ThOD
Median Tolerance Limit	TLM
Volatile Organic Compounds	VOC
Chemical Abstract Service number	CAS-No.
Not Otherwise Specified	N.O.S.
Very Persistent and Very Bioaccumulative	vPvB
Endocrine disrupting properties	ED

:Full text of H- and EUH-statements	
Acute toxicity (oral), Category 4	Acute Tox. 4 (Oral)
Hazardous to the aquatic environment – Acute Hazard, Category 1	Aquatic Acute 1
Hazardous to the aquatic environment – Chronic Hazard, Category 1	Aquatic Chronic 1
Hazardous to the aquatic environment – Chronic Hazard, Category 2	Aquatic Chronic 2
Hazardous to the aquatic environment – Chronic Hazard, Category 3	Aquatic Chronic 3
Aspiration hazard, Category 1	Asp. Tox. 1
Contains SALVIA SCLAREA OIL, BOSWELLIA SERRATA OIL, PELARGONIUM GRAVEOLENS OIL, CITRUS AURANTIUM DULCIS PEEL OIL, CITRUS GRANDIS PEEL OIL, CITRUS BERGAMIA PEEL OIL EXPRESSED, CANANGA ODORATA FLOWER OIL. May produce an allergic reaction.	EUH208
Serious eye damage/eye irritation, Category 2	Eye Irrit. 2
Flammable liquids, Category 2	Flam. Liq. 2
Flammable liquids, Category 3	Flam. Liq. 3
Highly flammable liquid and vapour.	H225
Flammable liquid and vapour.	H226
Harmful if swallowed.	H302
May be fatal if swallowed and enters airways.	H304
Causes skin irritation.	H315

RAUMSPRAY Mood Balance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

:Full text of H- and EUH-statements	
May cause an allergic skin reaction.	H317
Causes serious eye irritation.	H319
Suspected of damaging fertility or the unborn child.	H361
Very toxic to aquatic life.	H400
Very toxic to aquatic life with long lasting effects.	H410
Toxic to aquatic life with long lasting effects.	H411
Harmful to aquatic life with long lasting effects.	H412
Reproductive toxicity, Category 2	Repr. 2
Skin corrosion/irritation, Category 2	Skin Irrit. 2
Skin sensitisation, Category 1	Skin Sens. 1

ATP 12 : The classification complies with
Safety Data Sheet (SDS), EU, Right-to-Left

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.