

RAUMSPRAY Sleep Well

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 12/29/2022 Revision date: 11/21/2023 Supersedes version of: 3/20/2023
Version: 2.0



SECTION 1 : Identification of the substance/mixture and of the company/undertaking

.1.1 Product identifier

Mixture :	Product form
RAUMSPRAY Sleep Well :	Trade name
78F0-D0KD-A00M-NNT2 :	UFI
AEAP11S-30 / AEAP11S-30 :	Product code
Spray :	Vaporizer

.2.1 Relevant identified uses of the substance or mixture and uses advised against

.1.2.1 Relevant identified uses

Consumer use :	Intended for general public
Odour agents :	Main use category
	Use of the substance/mixture

.2.2 Uses advised against

No additional information available

.3.1 Details of the supplier of the safety data sheet

Saint Charles Organics GmbH GmbH
Esterhazygasse 11
AU 1060 Wien
Austria
T +43 (0)1 8907987, F +43 1 586 13 63 – 63
office@saint-charles.eu, <https://saint-charles.eu/>

.4.1 Emergency telephone number

Comment	Emergency number	Address	Organisation/Company	Country/Area
	+43 1 406 43 43	Stubenring 6 1010 Vienna	Vergiftungsinformationszentrale	Austria
Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)	+32 70 245 245	Rue Bruyn 1 1120 Brussels	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Militaire Reine Astrid	Belgium
	+33 1 40 05 48 48	200 rue du Faubourg Saint-Denis 75475 Paris Cedex 10	Centre antipoison de Paris Hôpital Fernand Widal	France
	+49 (0) 30 19240	Hindenburgdamm 30 12203 Berlin	Giftnotruf der Charité - Universitätsmedizin Berlin CBF, Haus VIII (Wirtschaftgebäude), UG	Germany
	+49 (0) 89 19240	Ismaninger Straße 22 81675 Munich	Giftnotruf München Toxikologische Abteilung der II. Med. Klinik und Poliklinik rechts der Isar der Technischen Universität München	Germany
(from abroad: +41 44 251 51 51) non urgent inquiry: +41 44 251 66 66	145 +41 44 251 51 51	Freiestrasse 16 8032 Zürich	Tox Info Suisse	Switzerland

RAUMSPRAY Sleep Well

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 2 : Hazards identification

.1.2 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H225 Flammable liquids, Category 2
H317 Skin sensitisation, Category 1
H412 Hazardous to the aquatic environment – Chronic Hazard, Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

.2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]



GHS07



GHS02

Hazard pictograms (CLP)

Danger : Signal word (CLP)

PINUS CEMBRA LEAF OIL; CITRUS RETICULATA PEEL OIL : Contains

H225 - Highly flammable liquid and vapour. : Hazard statements (CLP)

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

P101 - If medical advice is needed, have product container or label at hand. : Precautionary statements (CLP)

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P501 - Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

.3.2 Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3 : Composition/information on ingredients

.1.3 Substances

Not applicable

.2.3 Mixtures

Classification according to Regulation (EC) No. 1272/2008 [CLP]	%	Product identifier	Name
Flam. Liq. 2, H225	< 100	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	Ethanol substance with national workplace exposure limit(s) (AT)

RAUMSPRAY Sleep Well

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification according to Regulation (EC) No. 1272/2008 [CLP]	%	Product identifier	Name
Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	< 3	CAS-No.: 92202-04-5 EC-No.: 296-036-1	Austrian stone pine oil
Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	< 3	CAS-No.: 8008-31-9 EC-No.: 284-521-0	Tangerine oil

Full text of H- and EUH-statements: see section 16

SECTION 4 :First aid measures

.1.4Description of first aid measures

Remove person to fresh air and keep comfortable for breathing.	: First-aid measures after inhalation
Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.	: First-aid measures after skin contact
Rinse eyes with water as a precaution.	: First-aid measures after eye contact
Call a poison center or a doctor if you feel unwell.	: First-aid measures after ingestion

.2.4Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.	: Symptoms/effects after skin contact
--------------------------------------	---------------------------------------

.3.4Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 :Firefighting measures

.1.5Extinguishing media

Water spray. Dry powder. Foam. Carbon dioxide.	: Suitable extinguishing media
--	--------------------------------

.2.5Special hazards arising from the substance or mixture

Highly flammable liquid and vapour.	: Fire hazard
Toxic fumes may be released.	: Hazardous decomposition products in case of fire

.3.5Advice for firefighters

Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	: Protection during firefighting
--	----------------------------------

SECTION 6 :Accidental release measures

.1.6Personal precautions, protective equipment and emergency procedures

.1.1.6For non-emergency personnel

Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	: Emergency procedures
---	------------------------

RAUMSPRAY Sleep Well

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.2.1.6 For emergency responders

Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Protective equipment

.2.6 Environmental precautions

Avoid release to the environment.

.3.6 Methods and material for containment and cleaning up

Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Methods for cleaning up
Dispose of materials or solid residues at an authorized site. Other information

.4.6 Reference to other sections

For further information refer to section 13.

SECTION 7 : Handling and storage

.1.7 Precautions for safe handling

Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Precautions for safe handling

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Hygiene measures

.2.7 Conditions for safe storage, including any incompatibilities

Ground/bond container and receiving equipment. Technical measures
Store in a well-ventilated place. Keep cool. Keep container tightly closed. Storage conditions

Germany

LGK 3 - Flammable liquids : Storage class (LGK, TRGS 510)
Joint storage table

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

LGK 1, LGK 2A, LGK 4.1A, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1C, LGK 5.2, LGK 6.1B, LGK 6.2, LGK 7 : Joint storage not permitted for
LGK 5.1B, LGK 6.1D, LGK 11, LGK 10-13 : Joint storage with restrictions permitted for
LGK 2B, LGK 3, LGK 6.1A, LGK 6.1C, LGK 8A, LGK 8B, LGK 10, LGK 12, LGK 13 : Joint storage permitted for

Switzerland

LK 3 - Flammable liquids : Storage class (LK)

.3.7 Specific end use(s)

No additional information available

SECTION 8 : Exposure controls/personal protection

.1.8 Control parameters

.1.1.8 National occupational exposure and biological limit values

RAUMSPRAY Sleep Well

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

(64-17-5) Ethanol	
Austria - Occupational Exposure Limits	
Ethanol (Ethylalkohol)	Local name
1900 mg/m ³	MAK (OEL TWA)
1000 ppm	
3800 mg/m ³ (3x 60(Mow) min)	MAK (OEL STEL)
2000 ppm (3x 60(Mow) min)	
BGBI. II Nr. 156/2021	Regulatory reference

.2.1.8 Recommended monitoring procedures

No additional information available

.3.1.8 Air contaminants formed

No additional information available

.4.1.8 DNEL and PNEC

No additional information available

.5.1.8 Control banding

No additional information available

.2.8 Exposure controls

.1.2.8 Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

.2.2.8 Personal protection equipment

Personal protective equipment symbol(s)



.1.2.2.8 Eye and face protection

Eye protection:

Safety glasses

.2.2.2.8 Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

.3.2.2.8 Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

.4.2.2.8 Thermal hazards

No additional information available

.3.2.8 Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

RAUMSPRAY Sleep Well

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9 :Physical and chemical properties

.1.9 Information on basic physical and chemical properties

Liquid :	Physical state
Not available :	Colour
characteristic. :	Odour
Not available :	Odour threshold
Not applicable :	Melting point
Not available :	Freezing point
Not available :	Boiling point
Not applicable :	Flammability
Not available :	Lower explosion limit
Not available :	Upper explosion limit
Not available :	Flash point
Not available :	Auto-ignition temperature
Not available :	Decomposition temperature
Not available :	pH
Not available :	Viscosity, kinematic
Not available :	Solubility
Not available :	Partition coefficient n-octanol/water (Log Kow)
Not available :	Vapour pressure
Not available :	Vapour pressure at 50°C
Not available :	Density
Not available :	Relative density
Not available :	Relative vapour density at 20°C
Not applicable :	Particle characteristics

.2.9 Other information

.1.2.9 Information with regard to physical hazard classes

No additional information available

.2.2.9 Other safety characteristics

No additional information available

SECTION 10 :Stability and reactivity

.1.10 Reactivity

Highly flammable liquid and vapour.

.2.10 Chemical stability

Stable under normal conditions.

.3.10 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

.4.10 Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

.5.10 Incompatible materials

No additional information available

.6.10 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

RAUMSPRAY Sleep Well

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11 :Toxicological information

.1.11Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not classified : Acute toxicity (oral)
Not classified : Acute toxicity (dermal)
Not classified : Acute toxicity (inhalation)

(64-17-5) Ethanol

7060 mg/kg Source: ECHA LD50 oral rat

(8008-31-9) Tangerine oil

> 5000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other., Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 oral rat

> 5000 mg/kg bodyweight Animal: rabbit, Guideline: other., Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal rabbit

Not classified : Skin corrosion/irritation
Not classified : Serious eye damage/irritation
May cause an allergic skin reaction. : Respiratory or skin sensitisation
Not classified : Germ cell mutagenicity
Not classified : Carcinogenicity
Not classified : Reproductive toxicity
Not classified : STOT-single exposure
Not classified : STOT-repeated exposure

Ethanol (64-17-5)

3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) LOAEL (oral, rat, 90 days)

1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other: NOAEL (oral, rat, 90 days)

Not classified : Aspiration hazard

RAUMSPRAY Sleep Well

Spray Vaporizer

Ethanol (64-17-5)

1.52 mm²/s Viscosity, kinematic

Austrian stone pine oil (92202-04-5)

7.7 mm²/s Viscosity, kinematic

Tangerine oil (8008-31-9)

7 mm²/s Viscosity, kinematic

.2.11Information on other hazards

No additional information available

SECTION 12 :Ecological information

.1.12Toxicity

Harmful to aquatic life with long lasting effects. : Ecology - general

RAUMSPRAY Sleep Well

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Not classified : Hazardous to the aquatic environment, short-term (acute)

Harmful to aquatic life with long lasting effects. : Hazardous to the aquatic environment, long-term (chronic)

Ethanol (64-17-5)	
> 100 mg/l Source: SIDS 2005	LC50 - Fish [1]
> 10000 mg/l Test organisms (species): Daphnia magna	EC50 - Crustacea [1]
≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	EC50 96h - Algae [1]
275 mg/l Source: ECHA	ErC50 algae

Tangerine oil (8008-31-9)	
0.61 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	EC50 72h - Algae [1]

.2.12 Persistence and degradability

RAUMSPRAY Sleep Well	
Not rapidly degradable	Persistence and degradability

Ethanol (64-17-5)	
Not rapidly degradable	Persistence and degradability

Austrian stone pine oil (92202-04-5)	
Not rapidly degradable	Persistence and degradability

Tangerine oil (8008-31-9)	
Not rapidly degradable	Persistence and degradability

.3.12 Bioaccumulative potential

Ethanol (64-17-5)	
-0.32 Source: ICSC	Partition coefficient n-octanol/water (Log Pow)

.4.12 Mobility in soil

No additional information available

.5.12 Results of PBT and vPvB assessment

No additional information available

.6.12 Endocrine disrupting properties

No additional information available

.7.12 Other adverse effects

No additional information available

SECTION 13 : Disposal considerations

.1.13 Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions. :	Regional waste regulation
Flammable vapours may accumulate in the container. :	Waste treatment methods
Dispose of contents/container in accordance with official regulations. :	Additional information






RAUMSPRAY Sleep Well

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14 :Transport information


In accordance with ADR / IMDG / IATA / ADN / RID

RID	ADN	IATA	IMDG	ADR
.1.14UN number or ID number				
1170	1170	1170	1170	1170
.2.14UN proper shipping name				
ETHANOL (ETHYL ALCOHOL)	ETHANOL (ETHYL ALCOHOL)	Ethanol	ETHANOL (ETHYL ALCOHOL)	ETHANOL (ETHYL ALCOHOL) / ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Transport document description				
UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II	UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II	UN 1170 Ethanol, 3, II	UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II	UN 1170 ETHANOL (ETHYL ALCOHOL) / ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E)
.3.14Transport hazard class(es)				
3	3	3	3	3
				
.4.14Packing group				
II	II	II	II	II
.5.14Environmental hazards				
No: Dangerous for the environment	No: Dangerous for the environment	No: Dangerous for the environment	No: Dangerous for the environment No: Marine pollutant	No: Dangerous for the environment
No supplementary information available				

.6.14Special precautions for user

Overland transport

F1	: Classification code (ADR)
144, 601	: Special provisions (ADR)
1I	: Limited quantities (ADR)
E2	: Excepted quantities (ADR)
P001, IBC02, R001	: Packing instructions (ADR)
MP19	: Mixed packing provisions (ADR)
T4	: Portable tank and bulk container instructions (ADR)
TP1	: Portable tank and bulk container special provisions (ADR)
LGBF	: Tank code (ADR)
FL	: Vehicle for tank carriage
2	: Transport category (ADR)
S2, S20	: Special provisions for carriage - Operation (ADR)
33	: Hazard identification number (Kemler No.)
	: Orange plates



D/E : Tunnel restriction code (ADR)

RAUMSPRAY Sleep Well

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

•2YE : EAC code

Transport by sea

144 : Special provisions (IMDG)
1 L : Limited quantities (IMDG)
E2 : Excepted quantities (IMDG)
P001 : Packing instructions (IMDG)
IBC02 : IBC packing instructions (IMDG)
T4 : Tank instructions (IMDG)
TP1 : Tank special provisions (IMDG)
F-E : EmS-No. (Fire)
S-D : EmS-No. (Spillage)
A : Stowage category (IMDG)
Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19%. Miscible with water. : Properties and observations (IMDG)

Air transport

E2 : PCA Excepted quantities (IATA)
Y341 : PCA Limited quantities (IATA)
1L : PCA limited quantity max net quantity (IATA)
353 : PCA packing instructions (IATA)
5L : PCA max net quantity (IATA)
364 : CAO packing instructions (IATA)
60L : CAO max net quantity (IATA)
A3, A58, A180 : Special provisions (IATA)
3L : ERG code (IATA)

Inland waterway transport

F1 : Classification code (ADN)
144, 601 : Special provisions (ADN)
1 L : Limited quantities (ADN)
E2 : Excepted quantities (ADN)
T : Carriage permitted (ADN)
PP, EX, A : Equipment required (ADN)
VE01 : Ventilation (ADN)
1 : Number of blue cones/lights (ADN)

Rail transport

F1 : Classification code (RID)
144, 601 : Special provisions (RID)
1L : Limited quantities (RID)
E2 : Excepted quantities (RID)
P001, IBC02, R001 : Packing instructions (RID)
MP19 : Mixed packing provisions (RID)
T4 : Portable tank and bulk container instructions (RID)
TP1 : Portable tank and bulk container special provisions (RID)
LGBF : Tank codes for RID tanks (RID)
2 : Transport category (RID)
CE7 : Colis express (express parcels) (RID)
33 : Hazard identification number (RID)

.7.14 Maritime transport in bulk according to IMO instruments

Not applicable

RAUMSPRAY Sleep Well

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15 :Regulatory information

.1.15Safety, health and environmental regulations/legislation specific for the substance or mixture

.1.1.15EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

.2.1.15National regulations

France

Occupational diseases	
Description	Code
Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamide; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	RG 84

Germany

Observe restrictions according Act on the Protection of Working Mothers (MuSchG) : Employment restrictions
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1) : Water hazard class (WGK)
Is not subject to the Hazardous Incident Ordinance (12. BImSchV) : Hazardous Incident Ordinance (12. BImSchV)

Netherlands

A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment : ABM category
Ethanol,Austrian stone pine oil,Tangerine oil are listed : SZW-lijst van kankerverwekkende stoffen
Austrian stone pine oil,Tangerine oil are listed : SZW-lijst van mutagene stoffen
Ethanol is listed : SZW-lijst van reprotoxische stoffen – Borstvoeding
Ethanol is listed : SZW-lijst van reprotoxische stoffen – Vruchtbaarheid

RAUMSPRAY Sleep Well

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethanol is listed : SZW-lijst van reprotoxische stoffen – Ontwikkeling

Denmark

Young people below the age of 18 years are not allowed to use the product :

Danish National Regulations

.2.15 Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16 :Other information

:Abbreviations and acronyms

European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	ADN
European Agreement concerning the International Carriage of Dangerous Goods by Road	ADR
Acute Toxicity Estimate	ATE
Bioconcentration factor	BCF
Biological limit value	BLV
Biochemical oxygen demand (BOD)	BOD
Chemical oxygen demand (COD)	COD
Derived Minimal Effect level	DMEL
Derived-No Effect Level	DNEL
European Community number	EC-No.
Median effective concentration	EC50
European Standard	EN
International Agency for Research on Cancer	IARC
International Air Transport Association	IATA
International Maritime Dangerous Goods	IMDG
Median lethal concentration	LC50
Median lethal dose	LD50
Lowest Observed Adverse Effect Level	LOAEL
No-Observed Adverse Effect Concentration	NOAEC
No-Observed Adverse Effect Level	NOAEL
No-Observed Effect Concentration	NOEC
Organisation for Economic Co-operation and Development	OECD
Occupational Exposure Limit	OEL
Persistent Bioaccumulative Toxic	PBT
Predicted No-Effect Concentration	PNEC
Regulations concerning the International Carriage of Dangerous Goods by Rail	RID
Safety Data Sheet	SDS
Sewage treatment plant	STP
Theoretical oxygen demand (ThOD)	ThOD
Median Tolerance Limit	TLM
Volatile Organic Compounds	VOC

RAUMSPRAY Sleep Well

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

:Abbreviations and acronyms	
Chemical Abstract Service number	CAS-No.
Not Otherwise Specified	N.O.S.
Very Persistent and Very Bioaccumulative	vPvB
Endocrine disrupting properties	ED

:Full text of H- and EUH-statements	
Hazardous to the aquatic environment – Acute Hazard, Category 1	Aquatic Acute 1
Hazardous to the aquatic environment – Chronic Hazard, Category 1	Aquatic Chronic 1
Hazardous to the aquatic environment – Chronic Hazard, Category 2	Aquatic Chronic 2
Hazardous to the aquatic environment – Chronic Hazard, Category 3	Aquatic Chronic 3
Aspiration hazard, Category 1	Asp. Tox. 1
Serious eye damage/eye irritation, Category 2	Eye Irrit. 2
Flammable liquids, Category 2	Flam. Liq. 2
Flammable liquids, Category 3	Flam. Liq. 3
Highly flammable liquid and vapour.	H225
Flammable liquid and vapour.	H226
May be fatal if swallowed and enters airways.	H304
Causes skin irritation.	H315
May cause an allergic skin reaction.	H317
Causes serious eye irritation.	H319
Very toxic to aquatic life.	H400
Very toxic to aquatic life with long lasting effects.	H410
Toxic to aquatic life with long lasting effects.	H411
Harmful to aquatic life with long lasting effects.	H412
Skin corrosion/irritation, Category 2	Skin Irrit. 2
Skin sensitisation, Category 1	Skin Sens. 1

ATP 12 : The classification complies with
Safety Data Sheet (SDS), EU, Right-to-Left

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.