

# RAUMSPRAY Stress Guard

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 12/12/2022 Revision date: 12/6/2023 Supersedes version of: 12/12/2022  
Version: 2.0



### SECTION 1 : Identification of the substance/mixture and of the company/undertaking

#### .1.1 Product identifier

Mixture :	Product form
RAUMSPRAY Stress Guard :	Trade name
MSJ0-40VN-V00W-SNPQ :	UFI
AEAP09S-30 / AEAP09S-100 :	Product code
Spray :	Vaporizer

#### .2.1 Relevant identified uses of the substance or mixture and uses advised against

##### .1.2.1 Relevant identified uses

Consumer use :	Intended for general public
Odour agents :	Main use category
	Use of the substance/mixture

##### .2.2 Uses advised against

No additional information available

#### .3.1 Details of the supplier of the safety data sheet

Saint Charles Organics GmbH GmbH  
Esterhazygasse 11  
AU 1060 Wien  
Austria  
T +43 (0)1 8907987, F +43 1 586 13 63 – 63  
[office@saint-charles.eu](mailto:office@saint-charles.eu), <https://saint-charles.eu/>

#### .4.1 Emergency telephone number

Comment	Emergency number	Address	Organisation/Company	Country/Area
	+43 1 406 43 43	Stubenring 6 1010 Vienna	Vergiftungsinformationszentrale	Austria
Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)	+32 70 245 245	Rue Bruyn 1 1120 Brussels	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Militaire Reine Astrid	Belgium
	+33 1 40 05 48 48	200 rue du Faubourg Saint-Denis 75475 Paris Cedex 10	Centre antipoison de Paris Hôpital Fernand Widal	France
	+49 (0) 30 19240	Hindenburgdamm 30 12203 Berlin	Giftnotruf der Charité - Universitätsmedizin Berlin CBF, Haus VIII (Wirtschaftgebäude), UG	Germany
	+49 (0) 89 19240	Ismaninger Straße 22 81675 Munich	Giftnotruf München Toxikologische Abteilung der II. Med. Klinik und Poliklinik rechts der Isar der Technischen Universität München	Germany
(from abroad: +41 44 251 51 51) non urgent inquiry: +41 44 251 66 66	145 +41 44 251 51 51	Freiestrasse 16 8032 Zürich	Tox Info Suisse	Switzerland

# RAUMSPRAY Stress Guard

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 2 :Hazards identification

#### .1.2 Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

H225 Flammable liquids, Category 2  
H317 Skin sensitisation, Category 1  
H412 Hazardous to the aquatic environment – Chronic Hazard, Category 3

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour.

#### .2.2 Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]



GHS07



GHS02

Hazard pictograms (CLP)

Danger : Signal word (CLP)

Contains

ALCOHOL DENAT.; LAVANDULA ANGUSTIFOLIA OIL; BOSWELLIA SERRATA OIL;  
PELARGONIUM GRAVEOLENS OIL; CANANGA ODORATA FLOWER OIL; CITRUS  
BERGAMIA PEEL OIL EXPRESSED; SALVIA SCLAREA OIL

H225 - Highly flammable liquid and vapour. :

Hazard statements (CLP)

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

P101 - If medical advice is needed, have product container or label at hand. :

Precautionary statements (CLP)

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P501 - Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### .3.2 Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3 :Composition/information on ingredients

#### .1.3 Substances

Not applicable

#### .2.3 Mixtures

Classification according to Regulation (EC) No. 1272/2008 [CLP]	%	Product identifier	Name
Flam. Liq. 2, H225	< 100	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	Ethanol substance with national workplace exposure limit(s) (AT)

# RAUMSPRAY Stress Guard

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification according to Regulation (EC) No. 1272/2008 [CLP]	%	Product identifier	Name
Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412	< 3	CAS-No.: 90063-37-9 EC-No.: 289-995-2	Lavender oil
Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	< 3	CAS-No.: 97952-72-2 EC-No.: 308-366-6	Incense serrata oil
Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411	< 3	CAS-No.: 90082-51-2 EC-No.: 290-140-0	Geranium oil
Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 3, H412	< 3	CAS-No.: 83863-30-3 EC-No.: 281-092-1	Ylang Ylang oil
Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	< 3	CAS-No.: 89957-91-5 EC-No.: 289-612-9	Bergamot oil
Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412	< 3	CAS-No.: 84775-83-7 EC-No.: 283-911-8	Clary Sage oil

Full text of H- and EUH-statements: see section 16

### SECTION 4 :First aid measures

#### .1.4Description of first aid measures

Remove person to fresh air and keep comfortable for breathing. :	First-aid measures after inhalation
Rinse skin with water/shower. Take off immediately all contaminated clothing. :	First-aid measures after skin contact
Rinse eyes with water as a precaution. :	First-aid measures after eye contact
Call a poison center or a doctor if you feel unwell. :	First-aid measures after ingestion

#### .2.4Most important symptoms and effects, both acute and delayed

No additional information available

#### .3.4Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# RAUMSPRAY Stress Guard

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 5 :Firefighting measures

#### .1.5Extinguishing media

Water spray. Dry powder. Foam. Carbon dioxide. : Suitable extinguishing media

#### .2.5Special hazards arising from the substance or mixture

Highly flammable liquid and vapour. : Fire hazard  
Toxic fumes may be released. : Hazardous decomposition products in case of fire

#### .3.5Advice for firefighters

Do not attempt to take action without suitable protective equipment. Self-contained : Protection during firefighting  
breathing apparatus. Complete protective clothing.

### SECTION 6 :Accidental release measures

#### .1.6Personal precautions, protective equipment and emergency procedures

##### .1.1.6For non-emergency personnel

Ventilate spillage area. No open flames, no sparks, and no smoking. : Emergency procedures

##### .2.1.6For emergency responders

Do not attempt to take action without suitable protective equipment. For further information : Protective equipment  
refer to section 8: "Exposure controls/personal protection".

#### .2.6Environmental precautions

Avoid release to the environment.

#### .3.6Methods and material for containment and cleaning up

Take up liquid spill into absorbent material. Notify authorities if product enters sewers or : Methods for cleaning up  
public waters.  
Dispose of materials or solid residues at an authorized site. : Other information

#### .4.6Reference to other sections

For further information refer to section 13.

### SECTION 7 :Handling and storage

#### .1.7Precautions for safe handling

Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, : Precautions for safe handling  
open flames and other ignition sources. No smoking. Ground/bond container and receiving  
equipment. Use only non-sparking tools. Take precautionary measures against static  
discharge. Flammable vapours may accumulate in the container. Use explosion-proof  
equipment. Wear personal protective equipment.  
Do not eat, drink or smoke when using this product. Always wash hands after handling the : Hygiene measures  
product.

#### .2.7Conditions for safe storage, including any incompatibilities

Ground/bond container and receiving equipment. : Technical measures  
Store in a well-ventilated place. Keep cool. Keep container tightly closed. : Storage conditions

#### Germany

LGK 3 - Flammable liquids : Storage class (LGK, TRGS 510)

# RAUMSPRAY Stress Guard

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

: Joint storage table

LGK 1, LGK 2A, LGK 4.1A, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1C, LGK 5.2, LGK 6.1B, LGK 6.2, LGK 7 :  
 LGK 5.1B, LGK 6.1D, LGK 11, LGK 10-13 :  
 LGK 2B, LGK 3, LGK 6.1A, LGK 6.1C, LGK 8A, LGK 8B, LGK 10, LGK 12, LGK 13 :

Joint storage not permitted for

Joint storage with restrictions permitted for  
 Joint storage permitted for

Switzerland

LK 3 - Flammable liquids :

Storage class (LK)

### .3.7 Specific end use(s)

No additional information available

## SECTION 8 :Exposure controls/personal protection

### .1.8 Control parameters

#### .1.1.8 National occupational exposure and biological limit values

(64-17-5) Ethanol	
Austria - Occupational Exposure Limits	
Ethanol (Ethylalkohol)	Local name
1900 mg/m <sup>3</sup>	MAK (OEL TWA)
1000 ppm	
3800 mg/m <sup>3</sup> (3x 60(Mow) min)	MAK (OEL STEL)
2000 ppm (3x 60(Mow) min)	
BGBl. II Nr. 156/2021	Regulatory reference

#### .2.1.8 Recommended monitoring procedures

No additional information available

#### .3.1.8 Air contaminants formed

No additional information available

#### .4.1.8 DNEL and PNEC

No additional information available

#### .5.1.8 Control banding

No additional information available

### .2.8 Exposure controls

#### .1.2.8 Appropriate engineering controls

**Appropriate engineering controls:**  
 Ensure good ventilation of the work station.

#### .2.2.8 Personal protection equipment

Personal protective equipment symbol(s)



# RAUMSPRAY Stress Guard

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### .1.2.2.8 Eye and face protection

**Eye protection:**

Safety glasses

### .2.2.2.8 Skin protection

**Skin and body protection:**

Wear suitable protective clothing

**Hand protection:**

Protective gloves

### .3.2.2.8 Respiratory protection

**Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

### .4.2.2.8 Thermal hazards

No additional information available

### .3.2.8 Environmental exposure controls

**Environmental exposure controls:**

Avoid release to the environment.

## SECTION 9 :Physical and chemical properties

### .1.9 Information on basic physical and chemical properties

Liquid :	Physical state
Not available :	Colour
characteristic. :	Odour
Not available :	Odour threshold
Not applicable :	Melting point
Not available :	Freezing point
Not available :	Boiling point
Not applicable :	Flammability
Not available :	Lower explosion limit
Not available :	Upper explosion limit
Not available :	Flash point
Not available :	Auto-ignition temperature
Not available :	Decomposition temperature
Not available :	pH
Not available :	Viscosity, kinematic
Not available :	Solubility
Not available :	Partition coefficient n-octanol/water (Log Kow)
Not available :	Vapour pressure
Not available :	Vapour pressure at 50°C
Not available :	Density
Not available :	Relative density
Not available :	Relative vapour density at 20°C
Not applicable :	Particle characteristics

### .2.9 Other information

#### .1.2.9 Information with regard to physical hazard classes

No additional information available

#### .2.2.9 Other safety characteristics

No additional information available

# RAUMSPRAY Stress Guard

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 10 :Stability and reactivity

#### .1.10Reactivity

Highly flammable liquid and vapour.

#### .2.10Chemical stability

Stable under normal conditions.

#### .3.10Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### .4.10Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### .5.10Incompatible materials

No additional information available

#### .6.10Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11 :Toxicological information

#### .1.11Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not classified : Acute toxicity (oral)  
Not classified : Acute toxicity (dermal)  
Not classified : Acute toxicity (inhalation)

#### (64-17-5) Ethanol

7060 mg/kg Source: ECHA LD50 oral rat

#### (97952-72-2) Incense serrata oil

> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure) LD50 oral rat

#### (90082-51-2) Geranium oil

> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 oral rat

#### (83863-30-3) Ylang Ylang oil

> 5000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 oral rat

> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal rabbit

#### (89957-91-5) Bergamot oil

> 10000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 oral rat

> 20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal rabbit

#### (84775-83-7) Clary Sage oil

5600 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 5000 - 6200 LD50 oral rat

# RAUMSPRAY Stress Guard

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Not classified :	Skin corrosion/irritation
Not classified :	Serious eye damage/irritation
May cause an allergic skin reaction. :	Respiratory or skin sensitisation
Not classified :	Germ cell mutagenicity
Not classified :	Carcinogenicity
Not classified :	Reproductive toxicity

Ylang Ylang oil (83863-30-3)	
NOAEL (animal/male, F1)	718 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (animal/female, F1)	953 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Not classified :	STOT-single exposure
Not classified :	STOT-repeated exposure

Ethanol (64-17-5)	
3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	LOAEL (oral, rat, 90 days)
1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:	NOAEL (oral, rat, 90 days)

Bergamot oil (89957-91-5)	
1200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	LOAEL (oral, rat, 90 days)

Not classified :	Aspiration hazard
------------------	-------------------

RAUMSPRAY Stress Guard	
Spray	Vaporizer

Ethanol (64-17-5)	
1.52 mm <sup>2</sup> /s	Viscosity, kinematic

Incense serrata oil (97952-72-2)	
< 7 mm <sup>2</sup> /s	Viscosity, kinematic

Geranium oil (90082-51-2)	
< 7 mm <sup>2</sup> /s	Viscosity, kinematic

Bergamot oil (89957-91-5)	
7.7 mm <sup>2</sup> /s	Viscosity, kinematic

Clary Sage oil (84775-83-7)	
7.7 mm <sup>2</sup> /s	Viscosity, kinematic



# RAUMSPRAY Stress Guard

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### .2.11 Information on other hazards

No additional information available

## SECTION 12 : Ecological information

### .1.12 Toxicity

The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Ecology - general

Not classified : Hazardous to the aquatic environment, short-term (acute)

Harmful to aquatic life with long lasting effects. : Hazardous to the aquatic environment, long-term (chronic)

Ethanol (64-17-5)	
> 100 mg/l Source: SIDS 2005	LC50 - Fish [1]
> 10000 mg/l Test organisms (species): Daphnia magna	EC50 - Crustacea [1]
≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	EC50 96h - Algae [1]
275 mg/l Source: ECHA	ErC50 algae

### .2.12 Persistence and degradability

RAUMSPRAY Stress Guard	
Not rapidly degradable	Persistence and degradability
Ethanol (64-17-5)	
Not rapidly degradable	Persistence and degradability
Lavender oil (90063-37-9)	
Not rapidly degradable	Persistence and degradability
Incense serrata oil (97952-72-2)	
Not rapidly degradable	Persistence and degradability
Geranium oil (90082-51-2)	
Not rapidly degradable	Persistence and degradability
Ylang Ylang oil (83863-30-3)	
Not rapidly degradable	Persistence and degradability
Bergamot oil (89957-91-5)	
Not rapidly degradable	Persistence and degradability
Clary Sage oil (84775-83-7)	
Not rapidly degradable	Persistence and degradability

### .3.12 Bioaccumulative potential

Ethanol (64-17-5)	
-0.32 Source: ICSC	Partition coefficient n-octanol/water (Log Pow)

### .4.12 Mobility in soil

No additional information available

# RAUMSPRAY Stress Guard

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### .5.12 Results of PBT and vPvB assessment

No additional information available

### .6.12 Endocrine disrupting properties

No additional information available

### .7.12 Other adverse effects

No additional information available






## SECTION 13 : Disposal considerations

### .1.13 Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions. :	Regional waste regulation
Flammable vapours may accumulate in the container. :	Waste treatment methods
Dispose of contents/container in accordance with official regulations. :	Additional information

## SECTION 14 : Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

RID	ADN	IATA	IMDG	ADR
<b>.1.14 UN number or ID number</b>				
1170	1170	1170	1170	1170
<b>.2.14 UN proper shipping name</b>				
ETHANOL (ETHYL ALCOHOL)	ETHANOL (ETHYL ALCOHOL)	Ethanol	ETHANOL (ETHYL ALCOHOL)	ETHANOL (ETHYL ALCOHOL) / ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
<b>Transport document description</b>				
UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II	UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II	UN 1170 Ethanol, 3, II	UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II	UN 1170 ETHANOL (ETHYL ALCOHOL) / ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E)
<b>.3.14 Transport hazard class(es)</b>				
3	3	3	3	3
				
<b>.4.14 Packing group</b>				
II	II	II	II	II
<b>.5.14 Environmental hazards</b>				
No: Dangerous for the environment	No: Dangerous for the environment	No: Dangerous for the environment	No: Dangerous for the environment No: Marine pollutant	No: Dangerous for the environment
No supplementary information available				

# RAUMSPRAY Stress Guard

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### .6.14 Special precautions for user

#### Overland transport

F1	:	Classification code (ADR)
144, 601	:	Special provisions (ADR)
1I	:	Limited quantities (ADR)
E2	:	Excepted quantities (ADR)
P001, IBC02, R001	:	Packing instructions (ADR)
MP19	:	Mixed packing provisions (ADR)
T4	:	Portable tank and bulk container instructions (ADR)
TP1	:	Portable tank and bulk container special provisions (ADR)
LGBF	:	Tank code (ADR)
FL	:	Vehicle for tank carriage
2	:	Transport category (ADR)
S2, S20	:	Special provisions for carriage - Operation (ADR)
33	:	Hazard identification number (Kemler No.)
	:	Orange plates
	:	
D/E	:	Tunnel restriction code (ADR)
•2YE	:	EAC code

33

1170

#### Transport by sea

144	:	Special provisions (IMDG)
1L	:	Limited quantities (IMDG)
E2	:	Excepted quantities (IMDG)
P001	:	Packing instructions (IMDG)
IBC02	:	IBC packing instructions (IMDG)
T4	:	Tank instructions (IMDG)
TP1	:	Tank special provisions (IMDG)
F-E	:	EmS-No. (Fire)
S-D	:	EmS-No. (Spillage)
A	:	Stowage category (IMDG)

Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19%. Miscible with water.

Properties and observations (IMDG)

#### Air transport

E2	:	PCA Excepted quantities (IATA)
Y341	:	PCA Limited quantities (IATA)
1L	:	PCA limited quantity max net quantity (IATA)
353	:	PCA packing instructions (IATA)
5L	:	PCA max net quantity (IATA)
364	:	CAO packing instructions (IATA)
60L	:	CAO max net quantity (IATA)
A3, A58, A180	:	Special provisions (IATA)
3L	:	ERG code (IATA)

#### Inland waterway transport

F1	:	Classification code (ADN)
144, 601	:	Special provisions (ADN)
1L	:	Limited quantities (ADN)
E2	:	Excepted quantities (ADN)
T	:	Carriage permitted (ADN)
PP, EX, A	:	Equipment required (ADN)
VE01	:	Ventilation (ADN)
1	:	Number of blue cones/lights (ADN)

#### Rail transport

F1	:	Classification code (RID)
144, 601	:	Special provisions (RID)

# RAUMSPRAY Stress Guard

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1L :	Limited quantities (RID)
E2 :	Exempted quantities (RID)
P001, IBC02, R001 :	Packing instructions (RID)
MP19 :	Mixed packing provisions (RID)
T4 :	Portable tank and bulk container instructions (RID)
TP1 :	Portable tank and bulk container special provisions (RID)
LGBF :	Tank codes for RID tanks (RID)
2 :	Transport category (RID)
CE7 :	Colis express (express parcels) (RID)
33 :	Hazard identification number (RID)

### .7.14 Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15 :Regulatory information

### .1.15 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### .1.1.15 EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### .2.1.15 National regulations

##### France

Occupational diseases	
Description	Code
Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamide; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	RG 84

# RAUMSPRAY Stress Guard

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Germany

Observe restrictions according Act on the Protection of Working Mothers (MuSchG) : Employment restrictions  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).  
WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1) : Water hazard class (WGK)  
Is not subject to the Hazardous Incident Ordinance (12. BImSchV) : Hazardous Incident Ordinance (12. BImSchV)

### Netherlands

A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment : ABM category  
Ethanol,Lavender oil,Incense serrata oil,Bergamot oil,Clary Sage oil are listed : SZW-lijst van kankerverwekkende stoffen  
Lavender oil,Incense serrata oil,Bergamot oil,Clary Sage oil are listed : SZW-lijst van mutagene stoffen  
Ethanol is listed : SZW-lijst van reprotoxische stoffen – Borstvoeding  
Ethanol is listed : SZW-lijst van reprotoxische stoffen – Vruchtbaarheid  
Ethanol is listed : SZW-lijst van reprotoxische stoffen – Ontwikkeling

### Denmark

Young people below the age of 18 years are not allowed to use the product : Danish National Regulations

### .2.15 Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16 :Other information

### :Abbreviations and acronyms

European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	ADN
European Agreement concerning the International Carriage of Dangerous Goods by Road	ADR
Acute Toxicity Estimate	ATE
Bioconcentration factor	BCF
Biological limit value	BLV
Biochemical oxygen demand (BOD)	BOD
Chemical oxygen demand (COD)	COD
Derived Minimal Effect level	DMEL
Derived-No Effect Level	DNEL
European Community number	EC-No.
Median effective concentration	EC50
European Standard	EN
International Agency for Research on Cancer	IARC
International Air Transport Association	IATA
International Maritime Dangerous Goods	IMDG
Median lethal concentration	LC50
Median lethal dose	LD50
Lowest Observed Adverse Effect Level	LOAEL
No-Observed Adverse Effect Concentration	NOAEC
No-Observed Adverse Effect Level	NOAEL
No-Observed Effect Concentration	NOEC

# RAUMSPRAY Stress Guard

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

:Abbreviations and acronyms	
Organisation for Economic Co-operation and Development	OECD
Occupational Exposure Limit	OEL
Persistent Bioaccumulative Toxic	PBT
Predicted No-Effect Concentration	PNEC
Regulations concerning the International Carriage of Dangerous Goods by Rail	RID
Safety Data Sheet	SDS
Sewage treatment plant	STP
Theoretical oxygen demand (ThOD)	ThOD
Median Tolerance Limit	TLM
Volatile Organic Compounds	VOC
Chemical Abstract Service number	CAS-No.
Not Otherwise Specified	N.O.S.
Very Persistent and Very Bioaccumulative	vPvB
Endocrine disrupting properties	ED

:Full text of H- and EUH-statements	
Acute toxicity (oral), Category 4	Acute Tox. 4 (Oral)
Hazardous to the aquatic environment – Acute Hazard, Category 1	Aquatic Acute 1
Hazardous to the aquatic environment – Chronic Hazard, Category 1	Aquatic Chronic 1
Hazardous to the aquatic environment – Chronic Hazard, Category 2	Aquatic Chronic 2
Hazardous to the aquatic environment – Chronic Hazard, Category 3	Aquatic Chronic 3
Aspiration hazard, Category 1	Asp. Tox. 1
Serious eye damage/eye irritation, Category 2	Eye Irrit. 2
Flammable liquids, Category 2	Flam. Liq. 2
Flammable liquids, Category 3	Flam. Liq. 3
Highly flammable liquid and vapour.	H225
Flammable liquid and vapour.	H226
Harmful if swallowed.	H302
May be fatal if swallowed and enters airways.	H304
Causes skin irritation.	H315
May cause an allergic skin reaction.	H317
Causes serious eye irritation.	H319
Suspected of damaging fertility or the unborn child.	H361
Very toxic to aquatic life.	H400
Very toxic to aquatic life with long lasting effects.	H410
Toxic to aquatic life with long lasting effects.	H411
Harmful to aquatic life with long lasting effects.	H412
Reproductive toxicity, Category 2	Repr. 2
Skin corrosion/irritation, Category 2	Skin Irrit. 2

# RAUMSPRAY Stress Guard

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

[:Full text of H- and EUH-statements](#)

Skin sensitisation, Category 1

Skin Sens. 1

ATP 12 :

The classification complies with  
Safety Data Sheet (SDS), EU, Right-to-Left

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.